


Front View

Side View



Hope Industrial Systems, Inc.

Toll Free: (877) 762-9790 • International: +1 (678) 762-9790  
 UK: +44 (0) 20 7193-2618 • E-mail: support@HopeIndustrial.com

Part Number: HIS-ML22


Revision: D

Date: 2025.06.18


Page 1 of 5

NOTES: Design to maximum depth of 63.5 mm (behind front edge of panel) to ensure future compatibility with later revisions and replacement units.


## Rear View




## Bottom View



## Bottom View (showing Cable Connections)



## Mounting Diagram



© 2026



Hope Industrial Systems, Inc.

Toll Free: (877) 762-9790 • International: +1 (678) 762-9790  
UK: +44 (0) 20 7193-2618 • E-mail: support@HopeIndustrial.com

Part Number: HIS-ML22


Date: 2025.06.18

Revision: D

Page 3 of 5


NOTES: Compress collar with torque 1.13-1.7 N·m (10-15 inch-pounds) or until bezel sits 1.6 to 2.4 mm (1/16" to 3/32") off front panel

## Cutout Dimensions




## VB-22A Accessory Mounting Bracket

## Rear View



## Bottom View



Hope Industrial Systems, Inc.

Toll Free: (877) 762-9790 • International: +1 (678) 762-9790  
UK: +44 (0) 20 7193-2618 • E-mail: support@HopeIndustrial.com

Part Number: HIS-ML22

Revision: D

Date: 2025.06.18

Page 5 of 5

NOTES: 22" Monitor comes standard with 100 mm VESA Mounting Pattern;  
Accessory Bracket is for drilling new mounting when required.